


Automatic fill valve dimensions

Plastic configurations 1-12 | Dimensions in mm




1. 1/2in internal top inlet; green housing



2. 1/2in internal side inlet; green housing




3. 1/2in external side inlet; blue housing



4. 3/4in internal side inlet; green housing



5. External top inlet; 20.7mm inlet reference



6. 3/4in external side inlet; blue housing



7. 1in external top inlet; blue housing




8. 1in external side inlet; blue housing



9. 1/2in internal side inlet; white housing



10. 1/2in internal top inlet; white housing



11. 1/2in external top inlet; white housing



12. 3/4in side inlet; white enclosed housing


Automatic fill valve dimensions

Plastic configurations 13-24 | Dimensions in mm

13. 3/4in external side inlet; white enclosed housing	14. 3/4in internal top inlet; white housing	15. 3/4in external top inlet; white housing
16. 1in internal side inlet; white enclosed housing	17. 1in external side inlet; white housing	18. 1in external top inlet; elbow-body configuration
19. 1in internal top inlet; elbow-body configuration	20. 3/4in external side inlet; compact white housing	21. 3/4in internal side inlet; compact white housing
22. 1in internal side inlet; compact white housing	23. 1in external side inlet; compact white housing	24. 1in external side inlet; general configuration

Automatic fill valve dimensions

Stainless steel configurations 25–30 | Dimensions in mm

		
25. 1/2in internal top inlet; stainless steel	26. 3/4in internal top inlet; stainless steel	27. 1in internal top inlet; stainless steel
		
28. 1/2in internal side inlet; stainless steel	29. 3/4in internal side inlet; stainless steel	30. 1in internal side inlet; stainless steel

Nominal connection labels identify the pictured configurations. Dimensional callouts apply to the individual shown interface; select the complete inlet, outlet and mounting arrangement. The external plastic versions include a separate level-sensing connection.