


ESC11 and ESC12 dimensions

Hinged side-mounted stainless steel float switches | Dimensions in mm



Model	Mount	Overall length	Additional callouts
ESC11	M10×1	114	15.5; 4.9; 34.5; stem Ø8; arm 30; float 55.5 × Ø16.9



Model	Mount	Overall length	Additional callouts
ESC12	G1/2; 14TPI	116	5.8; 16.6; 34.5; stem Ø8; arm 30; float 55.5 × Ø17

ESC13 and ESC14 dimensions

Hinged side-mounted stainless steel float switches | Dimensions in mm




Model	Mount	Overall length	Additional callouts
ESC13	M12	116	14.5; 43.1; stem Ø8; hinged assembly 86; float 55.5 × Ø17



Model	Mount	Overall length	Additional callouts
ESC14	M14	116	14.5; 43.1; stem Ø8; hinged assembly 86; float 55.5 × Ø17

ESC15 and ESC19 dimensions

Hinged side-mounted stainless steel float switches | Dimensions in mm



Model	Mount	Overall length	Additional callouts
ESC15	M16	116	14.5; 43.1; stem Ø8; hinged assembly 86; float 55.5 × Ø17



Model	Mount	Overall length	Additional callouts
ESC19	G1/2; 14TPI	151	Connector 36 × 35.5; collar 6; thread 16.5; stem 34 × Ø8; arm 30; float 55.5 × Ø17; cable Ø5.5

The small ESC11 and ESC12 mounting dimensions are 4.9mm and 5.8mm respectively. Thread pitches for M12, M14 and M16 are not specified in this drawing.